

APE CLASSIC VAN SALES MANUAL



**PIAGGIO
GROUP**



SUBJECT

Widening of the Ape Classic Range with the introduction of the **Van version** to flank the current Cargo version.



WHAT

To offer a **practical, functional and economic** vehicle able to minimise *costs and satisfy transport and delivery needs in an **urban setting** thanks to its **significant and fully usable space** and a **load capacity** that is at the top of the short-range category.



HOW

A truck box with a **vintage flavour** that, recalling the shapes of early Ape Classic models, stands out from other vans in circulation thanks to its **inimitable and elegant** style.




WHY

An offer that effectively meets with **demand**, which has remained constant but unanswered for the **Ape TM Van** model (out of production since late 2017), and positions itself as a valid replacement for the transportation and delivery of loads of a certain size in an urban setting and in total safety.

*(purchase, management and operation costs)

TECHNICAL OUTFITTING CHARACTERISTICS



TECHNICAL OUTFITTING CHARACTERISTICS: DETAILS

- **PROVISION FOR LATERAL ADVERTISING PANELLING**

The ABS and support struts are reinforced to allow for the drilling and application of **advertising posters** by the outfitters.

- **PROVISION FOR THE OPENING OF SIDE PANELS**

The panel is created with an actual «**cutting guide**» to facilitate this outfitting.

- **PROVISION FOR THE APPLICATION OF LATERAL STICKERS**

The sides are created in a **wrappable material** that allows the end client to **personalise** the vehicle in a unique and original way. In addition to this, the metallic structure allows for the application of external advertising panels.

- **PROVISION FOR INTERNAL SHELVING**

Inside the box, along the metallic structure, threaded inserts allow for the **installation of shelves** to help with the division of work materials.



TECHNICAL OUTFITTING CHARACTERISTICS: DETAILS

- **LIFT-UP REAR DOOR WITH LOCK**
Lifting rear door complete with handle for easy loading and total reliability.



- **AIR VENTS ON THE BOX**
Air grilles located at the front of the box **ensure adequate ventilation** and prevent any humidity and condensation inside the loading space.



PRODUCT IMAGES



COLOUR RANGE



Bianco White



Charming Blue

MAIN TECHNICAL INFORMATION

| | |
|------------------------------------|--|
| Track width | 1,260 |
| Load bed | 1,660 mm x 1,400 mm (internal dimensions) |
| Load threshold height | 650 mm |
| GVM | 1,300 kg |
| Kerb weight (excluding driver) | 550 kg |
| Kerb weight (including driver) | 625 kg |
| Maximum load (including driver) | 675 kg |
| Cargo Volume | 1,5m ³ |
| Fuel tank capacity | 10.5 l |
| Max. speed | 45 km/h |
| Emissions compliance | Euro 4 L5E-b E tricycle, driver, can be driven from 16 years of age with an A1 licence |

| | |
|-------------------------------|---|
| Engine | 435 cc 4-stroke single-cylinder, 2 direct injection diesel valves, forced-air cooling |
| Bore and stroke (mm) | 86x75 |
| Max. CE power (kW at rpm) | 5.75 @ 3,400 |
| Max. CE torque (Nm at rpm) | 20 @ 2,200 |
| Transmission | Manual, 4 speed + reverse gear |
| Brakes | pedal action, double circuit; front and rear drum |
| Tyres | 4.50 - 10 8PR |
| Vehicle dimensions | length 3,150 mm, width 1,495 mm, height 1,700 mm |
| Wheelbase | 2,100 mm |